



### Compressor with flywheel and mineral oil charge for R22

Type	Cyl.	Bore [mm]	Stroke [mm]	Rev. [rpm]		Displacement [m³/h]		Flywheel dia.[mm]	Belts No. Profile
				min.	max.	min.	max.		
0	2	30	20	545	1060	0,9	1,7	180	1 x 13
I	2	35	26	465	975	1,3	2,9	180	1 x 13
II	2	40	30	485	1000	2,1	4,5	260	1 x 13
III	2	50	40	430	1000	4,0	9,4	260	1 x 13
IV	2	65	50	370	750	7,3	14,9	380	2 x 17
V	2	85	60	310	700	12,6	28,5	450	2 x 17
VI W	2	105	75	310	565	24,1	44,0	450	3 x 17
VII W	2	120	85	365	505	42,1	58,2	500	4 x 17

### Compressors with flywheel and ester oil charge for R134 and R404A

Type	Cyl.	Bore [mm]	Stroke [mm]	Rev. [rpm]		Displacement [m³/h]		Flywheel dia.[mm]	Belts No. Profile
				min.	max.	min.	max.		
0 Y	2	30	20	545	1060	0,9	1,7	180	1 x 13
I Y	2	35	26	465	975	1,3	2,9	180	1 x 13
II Y	2	40	30	485	1000	2,1	4,5	260	1 x 13
III Y	2	50	40	430	1000	4,0	9,4	260	1 x 13
IV Y	2	65	50	370	750	7,3	14,9	380	2 x 17
V Y	2	85	60	310	700	12,6	28,5	450	2 x 17
VI Y W	2	105	75	310	565	24,1	44,0	450	3 x 17
VII Y W	2	120	85	365	505	42,1	58,2	500	4 x 17

### Order Information

Type	Order Number	
	Mineral Oil	Ester Oil
0 (Y)	1001-1000	1001-1008
I (Y)	1001-1001	1001-1009
II (Y)	1001-1002	1001-1010
III (Y)	1001-1003	1001-1011
IV (Y)	1001-1004	1001-1012
V (Y)	1001-1005	1001-1013
VI (Y) W	1001-1006	1001-1014
VII (Y) W	1001-1007	1001-1015

#### Available Accessories:

- Water cooled cylinder heads from type III  
(on request sea-water resistant)
- Cylinder head cooling fan for type VI and type VII
- Crankcase heater from type III
- Adaptor for oil and gas equalization from type IV
- Base frame with belt guard
- Air or water cooled condenser